

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT				1. CONTRACT ID CODE <div style="text-align: center;">J</div>		PAGE OF PAGES <div style="text-align: center;">1   3</div>	
2. AMENDMENT/MODIFICATION NO. <div style="text-align: center;">0001</div>		3. EFFECTIVE DATE <div style="text-align: center;">16-Dec-2005</div>		4. REQUISITION/PURCHASE REQ. NO. SEE SCHEDULE		5. PROJECT NO.(If applicable)	
6. ISSUED BY CODE  REGIONAL CONTRACTING OFFICE - ALASKA ATTN: SFCA-PRA BOX 5-525, BLDG 600, RM B242 FORT RICHARDSON AK 99505-0525		7. ADMINISTERED BY (If other than item 6) CODE  <div style="text-align: center; font-weight: bold;">See Item 6</div>					
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)				X 9A. AMENDMENT OF SOLICITATION NO. W912CZ-06-B-0001			
				X 9B. DATED (SEE ITEM 11) 12-Dec-2005			
				10A. MOD. OF CONTRACT/ORDER NO.			
				10B. DATED (SEE ITEM 13)			
CODE		FACILITY CODE					
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS							
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input type="checkbox"/> is extended, <input checked="" type="checkbox"/> is not extended. Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning <u>1</u> copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.							
12. ACCOUNTING AND APPROPRIATION DATA (If required)							
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.							
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.							
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).							
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:							
D. OTHER (Specify type of modification and authority)							
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.							
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)  ELEVATOR MAINTENANCE, FORT WAINWRIGHT & FORT GREELY, ALASKA  See Page 2 for continuation.							
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.							
15A. NAME AND TITLE OF SIGNER (Type or print)				16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)			
				TEL: _____ EMAIL: _____			
15B. CONTRACTOR/OFFEROR  _____ (Signature of person authorized to sign)		15C. DATE SIGNED		16B. UNITED STATES OF AMERICA  BY _____ (Signature of Contracting Officer)		16C. DATE SIGNED  16-Dec-2005	

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

**SUMMARY OF CHANGES**

a. The purpose of this amendment is to clarify Technical Exhibit 1, paragraph 4z (page 4 of 4). The current Technical Exhibit 1 of solicitation number W912CZ-06-B-0001 requires a certified independent elevator safety inspector to perform or witness safety inspections. The latest editions of the National, State and Local, Fire Safety, Health and Electrical codes do not require the individual to be a certified independent elevator safety inspector; however, the code requires a qualified elevator mechanic.

b. Replace page 4, of Technical Exhibit 1 with the attached page 4 (changed text is indicated in boldface type). Replacement page 4 is hereby incorporated in solicitation number W912CZ-06-B-0001, Technical Exhibit 1.

(End of Summary of Changes)

replaced and are not to run on the brake drum. The ball sockets or pins for the brake shoes shall be cleaned and lubricated when reinstalled.

z. Safety Tests: **The Contractor shall provide a qualified elevator mechanic to perform safety tests in accordance with latest editions of the National, State and Local, Fire Safety, Health and Electrical codes.**

Under normal conditions, the governor will be hand tripped with no load to set the safeties; however, if the hoisting ropes or the governor ropes are replaced after an inspection, a full load safety test will be required and the Contractor shall provide the test weights and handling personnel. Any maintenance deficiencies noted during the safety inspection and tests shall be corrected by the Contractor prior to certification and at no additional cost to the Government.

(End of Technical Exhibit 1)